2026

CATALOGUE

BRASS FITTINGS · VALVES · BIBCOCKS

DINTEC PLUMBING CO., LTD.

www.temico.com

sale@temico.com

+86 574 8732 8730

CONTENTS

01 **Valves** P03 - P14

- Ball Valves P04 - P05
- Angle Valves P06 - P08
- Other Valves P09 - P14

02 **Radiator Heating System** P15 - P21

03 **Bibcocks** P22 - P31

- Bibcocks P23 - P25
- Antique Art Bibcocks P26 - P31

04 **Connection & Fittings** P32 - P40

Valves





20002 -ALLR Brass Ball Valve PN40 Full Port



20102 -ALBR Brass Ball Valve



20102 -ALLR Brass Ball Valve



20103 -ALBR Brass Ball Valve



20103 -ALLR Brass Ball Valve



20104 -ALBR Brass Ball Valve with Union



20602 -ALBB Brass Ball Valve PN25



20602 -IBLB Brass Ball Valve PN25



20603 -ALBR Brass Ball Valve PN25



20902 -IBLR Brass Ball Valve PN25, Boston



20604 -ALBR Brass Ball Valve PN30, with Union



20612 -ALBR Brass Ball Valve PN30



20613 -IBLB Brass Ball Valve PN30



20615 -IBLB Brass Ball Valve PN30




20616 -ALBR Brass Ball Valve PN30



20960N -IBLR Brass Ball Valve PN25, with Air Vent



21432H -IBLR Brass Ball Valve PN30, Solder



22600C Brass Mini Ball Valve ● B ● R ● H



22601C Brass Mini Ball Valve ● B ● R ● H



22604C Brass Mini Ball Valve ● B ● R ● H



22605C Brass Mini Ball Valve ● B ● R ● H



22611N Brass Mini Ball Valve ● B ● R ● H



22614N Brass Mini Ball Valve ● B ● R ● H



Nylon handle



Aluminium handle

22621H Brass Ball Valve, FxF PN16



Nylon handle

22622H Brass Ball Valve, FxM PN16



22702N Brass Ball Valve B / R / H handle



Nylon handle

22672H Brass Ball Valve



22660N Brass Ball Valve ● B ● R ● H



22701N Brass Ball Valve ● B ● R ● H



25500C-1 Brass Angle Valve Zinc-Alloy Handle



25501C-1 Brass Angle Valve Zinc-Alloy Handle



25503C-2 Brass Angle Valve ABS Handle



25504C-2 Brass Angle Valve ABS Handle



25505C Brass Angle Valve ABS Handle




25507C Brass Angle Valve ABS Handle



25561C Brass Angle Valve ABS Handle



25511C 25919C Brass Angle Valve Zinc-Alloy Handle



25512C 25918C Brass Angle Valve Brass Handle



25523C Brass Angle Valve ABS Handle



25525C Brass Angle Valve ABS Handle



25527C Brass Angle Valve ABS Handle



25542C-1 Brass Angle Valve ABS Handle



25546C-2 Brass Angle Valve Zinc-Alloy Handle



25546C-4 Brass Angle Valve ABS Handle



25553C Brass Angle Valve
ABS Handle



25557C Brass Angle Valve
Zinc-Alloy Handle



25558C Brass Angle Valve
Zinc-Alloy Handle



25559C Brass Angle Valve
ABS Handle



25603C Brass Angle Valve
Brass Handle



25610C Brass Angle Valve
ABS Handle





25611B Brass Angle Valve, Brass Handle, Black
25611Y Brass Angle Valve, Brass Handle, Golden



25613C Brass Angle Valve
Brass Handle



25801C Brass Angle Valve
Brass Handle



25802C Brass Angle Valve
Brass Handle



25804C Brass Angle Valve
Plastic Handle



25805C Brass Angle Valve
ABS Handle



25805C-1 Brass Angle Valve
ABS Handle



25806C Brass Angle Valve
Zinc-Alloy Handle




25904C Brass Angle Valve ABS Handle



25905C **25921C** Brass Angle Valve Zinc-Alloy Handle



25906C Brass Angle Valve Zinc-Alloy Handle



25910C Brass Angle Valve Zinc-Alloy Handle



25911C Brass Angle Valve ABS Handle



25914C Brass Angle Valve Aluminium Handle



25915C Brass Angle Valve Zinc-Alloy Handle



25917C Brass Angle Valve Zinc-Alloy Handle



25922C Brass Angle Valve Brass Handle



25923C Brass Angle Valve Aluminium Handle



25924C Brass Angle Valve Zinc-Alloy Handle



25930C Brass Angle Valve Brass Handle



25907C Brass Angle Valve Zinc-Alloy Handle





24300H Spring Check Valve
Plastic Spindle



24310H Spring Check Valve
Plastic Spindle, SUS Net



24320H Spring Check Valve
Brass Spindle



24330H Spring Check Valve
Brass Spindle, SUS Net



24501H Bottom Valve
Brass Spindle

Type: Vertical


Nominal Pressure: ≤ 1.6Mpa

Working Medium: water


Working Temperature: 0℃ ≤T ≤ 90℃

Thread: BSP, NPT

Testing: 100% tested with 0.6MPa-0.8MPa by air



SIZE	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”
DN	15	20	25	32	40	50



Material: Brass

Type: Horizontal


Nominal Pressure: ≤ 1.6Mpa


Working Medium: Water

Working Temperature: 0℃ ≤T ≤ 100℃

Thread: BSP, NPT

Testing: 100% tested with 0.6MPa-0.8MPa by air





24410H Non-Return
Swing Check Valve

SIZE	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
DN	13	18	22	27	33	38	48	64	85



47051H Brass Stop Valve



47052H Brass Stop Valve



26630H Brass Stop Valve



26630C Brass Stop Valve Chrome Finish



26631N Brass Stop Valve Nickel Finish



26633N Brass Stop Valve With Air Vent



26634N Brass Stop Valve With Air Vent



24600H Brass Y-Shape Strainer

Body Material: Brass

Filter Material: Stainless Steel 304


Nominal Pressure: ≤ 1.6Mpa

Working Medium: Water

Working Temperature: 0℃ ≤T ≤ 100℃

Thread: BSP, NPT

Testing: 100% tested with 0.6MPa-0.8MPa by air



SIZE	1/2”	3/4”	1”	1-1/4”	1-1/2”	2”	2-1/2”	3”	4”
DN	15	20	25	32	40	50	65	80	100



26637H Brass Stop Valve



P26004 PPR Stop Valve

Body Material:	Brass
Surface Finish:	☐ Brass color ☐ Chromed
Locking Screw:	Adjustable
Applicable Medium:	Water sources
Medium Flow Direction:	Must follow arrow direction
Applicable Range Of Pressure Before Valve:	3 ~ 10bar
Adjustable Range Of Pressure After Valve:	0.5 ~ 6bar
Default Setting:	3bar
Suitable Working Temperature:	4 ~ 40℃
Size:	☐ 1/2"X1/2"X1/4“ ☐ 3/4"X3/4"X1/4"



27402 Water Pressure Regulator with Gauge



27418 Water Pressure Regulator with Gauge & Filter

PRESSURE REGULATOR

Body Material:	Brass
Surface Finish:	☐ Brass color ☐ Nickel Plated
Locking Screw:	Adjustable
Applicable Medium:	Water sources
Medium Flow Direction:	Must follow arrow direction
Nominal pressure:	PN 2.5MPa
Adjustable Range Of Pressure After Valve:	1 ~ 6bar
Default Setting:	3bar
Suitable Working Temperature:	0 ~ 100℃
Size:	☐ 1/2"X1/2"X1/4“ ☐ 3/4"X3/4"X1/4"



27405 Water Pressure Regulator



20913LH -ALBY Brass Valve for Gas



20914H -ALBY Brass Valve for Gas



20915H -ALBY Brass Valve for Gas



20918H -ALBY Brass Valve for Gas



20942H -ALBY Brass Valve for Gas



20942N -ALBY Brass Valve for Gas




20942N -ZBY Brass Valve for Gas



22202N -ALBR Brass Valve for Gas
● B ● R



WS01A 12801 SUS Convoluted Hose for Gas



DIELECTRIC INSERT FOR GAS

WHY we need an insulating dielectric coupling for gas?

The main function of a dielectric is to protect equipment from stray currents that can occur in a gas pipeline for various reasons.

Here's what happens if stray currents get to your gas equipment:

- Gas appliances, most of the parts of which are made of conductive metal parts, become worthless and themselves become sources of danger;
- If a random spark occurs, there is a risk of fire, which becomes thousands of times more dangerous in a gaseous environment.
- Stray currents transmitted to household appliances and pipes during a thunderstorm or an accident on the power grid can cause serious injury to the user of gas equipment.

HOW it works?

Dielectric inserts are made of insulating polyamide and cut off the currents generated on gas pipe from equipment.

The best place to install the coupling is between gas shut-off valve and flexible hose pipe.


*We remind you that it is impossible to use gas equipment before the arrival of a gas service employee.
He must verify, record the fact of the installation of the dielectric and give permission to operate the connected equipment.*



16930 PB	Dielectric Coupling Brass



16931 PB	Dielectric Coupling Brass





27310N Brass Safety Valve Ni. Finish




27313N Brass Safety Valve Ni. Finish



27200H Brass Safety Valve F/F



27201H Brass Safety Valve M/F






24370H Brass Check Valve With Plastic Ball




24411H Brass Check Valve



27208H Brass Safety Valve




27006C Brass Auto Air Vent work at high temperatures







Radiator Heating







Ni.Finish

26559H 26559N Auto Empting+ Drain Valve **Set** ●B ●R



26560N Manual Empting+ Drain Valve **Set** ●B ●R



Ni.Finish

22320H 22320N Brass Empting Valve



Ni.Finish

1712H 1712N Brass Manifold Cap



Ni.Finish

27001H 27001N Brass Auto Air Vent



Ni.Finish

27003H 27003N Brass Auto Air Vent



Ni.Finish

27021H 27021N Brass Auto Air Vent (Angle)




Temp.gauge included

26556N Brass Manifold Valve ● B ● R



1784SS SUS Floor Heating Manifold **Set**



Flow Meters

1"M x ¾"F

1784SS-1 SUS304 Delivery Manifold



Regulating Valves

1"M x ¾"F

1784SS-2 SUS304 Return Manifold



1784-1 ACC Bracket Round Bracket Square

You might also be interested in...

OTHER BRASS MANIFOLDS & BARS





1720H	Manifold Valve B R



1725H	Manifold Valve B R



1737H 1737N	Manifold Manifold, Ni.Finish



1740H 1740N	Manifold Manifold, Ni.Fnish



1745H	Manifold Valve B R



1745N	Manifold Valve, Ni.Finish B R



1745N-1	Manifold Valve, Ni.Finish



1760H 1760N	Manifold Bar Manifold Bar, Ni.Finish

Cr.Finish



left right

27019C-L
27019C-R Brass Auto Bleed Valve with Buoy

Ni.Finish



8304 Brass Manual Bleed Valve

Ni.Finish



8305 Brass Manual Bleed Valve



8301 Brass Radiator End Cap



8302 Brass Radiator End Cap



left right

8312L
8312R Radiator Reducing Plug



left right

8314L
8314R Radiator End Cap



8320 Radiator End Cap And Acc. **7-pc Set**



8322 Radiator End Cap And Acc. **9-pc Set**

ANGLED



25200N	Brass Radiator Valve
25211N	Brass Radiator Valve, Yellow Thread

STRAIGHT



25202N	Brass Radiator Valve
25212N	Brass Radiator Valve, Yellow Thread



25231N	Brass Radiator Valve (Angled)



25232N	Brass Radiator Valve (Straight)

ANGLED



25203N	Brass Radiator Lockshield
25213N	Brass Radiator Lockshield, Yellow Thread

STRAIGHT



25204N	Brass Radiator Lockshield
25214N	Brass Radiator Lockshield, Yellow Thread



25233N	Brass Radiator Lockshield (Angled)



25234N	Brass Radiator Lockshield (Angled)



TECHNICAL SPECIFICATION	
Product Name	Radiator Valve
Working Temperature	5°C< t <100°C
Max. Working Pressure	10 bar
Working Media	Water
Thread Standard	ISO 228

MATERIAL & SURFACE TREATMENT	
Body & ConnectTail	Brass
Handle	Plastic
Sealings	EPDM
Body & Connect Tail Finish	Nickel Plated
Thread Finish	Nickel Plated or Yellow

You might also be interested in...



19660N	Brass Connector Set for PEX pipe

ANGLED



25251N Brass Radiator Valve

ANGLED



25253N Brass Radiator Lockshield

STRAIGHT



25252N Brass Radiator Valve

STRAIGHT




25254N Brass Radiator Lockshield





25281N Brass Radiator Valve Group





25282N Brass Radiator Valve Group
















ANGLED



25000N	Brass Thermostat Radiant Valve

ANGLED



25009N	Brass Thermostat Radiant Valve

ANGLED



25060N	Brass Thermostat Radiant Valve

STRAIGHT




25007N	Brass Thermostat Radiant Valve

STRAIGHT



25008N	Brass Thermostat Radiant Valve





Bibcocks





46000N-ALLR Brass Bibcock Alu.Handle, Ni.Finish



46000N-ALBR Brass Bibcock Alu.Handle, Ni.Finish



with lock

46002C-SSLR Brass Bibcock SUS Handle, Cr. Finish



46006N-IBLB Brass Bibcock Iron Handle, Ni.Finish



with lock

46007C-IBLB Brass Bibcock Iron Handle, Cr.Finish



46008C ALBB Brass Bibcock Alu.Handle, Cr.Finish



46009N ALLB Brass Bibcock Alu.Handle, Ni.Finish





46010H Brass Bibcock, Plastic Handle
46010N Brass Bibcock, Plastic Handle, Ni.Finish



46015N-ALLR Brass Bibcock Alu.Handle, Ni.Finish



46023N Brass Bibcock SUS Handle, Ni.Finish



46024N-IBLY Brass Bibcock Iron Handle, Ni.Finish



46026N-ALLB Brass Bibcock Alu. Handle, Ni. Finish



46200N-ALLR Brass Bibcock Alu. Handle, Ni.Finish



46101 Brass Bibcock for Water Boiler




47000H Brass Bibcock, Polished
47000C Brass Bibcock, Chromed Finish




47001H Brass Bibcock
47001C Brass Bibcock, Chromed Finish




47005H Brass Bibcock, Polished
47005C Brass Bibcock, Chromed Finish



47006H Brass Bibcock with Brass Nozzle



47033H Brass Bibcock with Brass Nozzle



47035H Brass Bibcock



47037C Brass Bibcock, Cr. Finish with Brass Nozzle



47038C Brass Bibcock, Chromed Finish



47092C Brass Bibcock, Chromed Finish



47093N Brass Bibcock, Nickel Finish



47540C Brass Bibcock, Chromed Finish



47533C Brass Bibcock, Chromed Finish



47537C-1 Brass Bibcock, Chromed Finish



47537C-2 Brass Bibcock, Chromed Finish



47537C-3 Brass Bibcock, Chromed Finish



47537C-4 Brass Bibcock, Chromed Finish



47534C Brass Bibcock, Chromed Finish



47538C-1 Brass Bibcock, Chromed Finish



47538C-2 Brass Bibcock, Chromed Finish



47538C-3 Brass Bibcock, Chromed Finish



47538C-4 Brass Bibcock, Chromed Finish


48010AH
creative
GARDEN ART
HYDROSFER
BIBCOCK





48000AG Art Brass Bibcock



48001AG Art Brass Bibcock



48002AG Art Brass Bibcock



48003AG Art Brass Bibcock



48000AH Art Brass Bibcock



48001AH Art Brass Bibcock



48002AH Art Brass Bibcock



48003AH Art Brass Bibcock





48005AG Art Brass Bibcock



48006AG Art Brass Bibcock



48007AG Art Brass Bibcock



48008AG Art Brass Bibcock



48005AH Art Brass Bibcock



48006AH Art Brass Bibcock



48007AH Art Brass Bibcock



48008AH Art Brass Bibcock





48010AG Art Brass Bibcock



48201AG Art Brass Bibcock



48203AG Art Brass Bibcock



48205AG Art Brass Bibcock



48010AH Art Brass Bibcock



48201AH Art Brass Bibcock



48203AH Art Brass Bibcock



48205AH Art Brass Bibcock





48207AG Art
Brass Bibcock



48009A Art
Brass Bibcock



48009B Art
Brass Bibcock



48009C Art
Brass Bibcock



48207AH Art
Brass Bibcock





48100A Art Brass Bibcock



48100AG Art Brass Bibcock



48100AH Art Brass Bibcock



48208AG Art Brass Bibcock



48101A Art Brass Bibcock




48101AG Art Brass Bibcock



48101AH Art Brass Bibcock



Connection & Fittings



ThreadS

ISO7 | ISO228 | NPT

Surface Treatment



H

hand polished / sand polished



C

brass polished & chrome plate



N

brass polished & nickel plate

O

customization per demands



FITTINGS FOR PEX PIPE ~ 14-SERIE

STRAIGHT

D-1400H
MALE



D-1401H
FEMALE



D-1402H
EQUAL

D-1411H
REDUCING



ELBOW

D-1403H
MALE



D-1404H
FEMALE



D-1405H
EQUAL

D-1412H
REDUCIN



TEE

D-1406H
MALE



D-1407H
FEMALE



D-1408H
EQUAL

D-1413H
REDUCING



OTHER

D-1409H
FEMALE



D-1418H
105°F
ELBOW



149118
PLASTIC
BOX FOR
105°F



STRAIGHT

D-1500
MALE
H
N



D-1501
FEMALE



D-1502
EQUAL

D-1511
REDUCING



ELBOW

D-1503
MALE



D-1504
FEMALE



D-1505
EQUAL

D-1512
REDUCING



TEE

D-1506
MALE



D-1507
FEMALE



D-1508
EQUAL


D-1513
REDUCIN



OTHER

D-1409H
FEMALE





FITTINGS FOR PEX-AL PIPE ~ 15-SERIE



FITTINGS FOR PEX-AL-PEX PIPE ~ 19-SERIE

STRAIGHT

1900N
MALE



1901N
FEMALE



1902N
EQUAL

1911N
REDUCING



ELBOW

1903N
MALE



1904N
FEMALE



1905N
EQUAL

1912N
REDUCING



TEE

1906N
MALE



1907N
FEMALE



1908N
EQUAL

1913N
REDUCING



OTHER

1909N
FEMALE







16301H



16301H-S



16301C



16302H



16302C



16303H



16303C



16303H-1

REDUCING



16303H-2



ONE

Extension Nipple is manufactured with solid brass.
Chrome Plated gives a glossy fnish and makes it compatible with the environments.

TWO

To meet the diferent needs of the cusomers, we ofer a wide range of diameter and length that precisely made.






16500 Brass Socket



16500-2 Brass Socket




16501 Brass Socket Reducing




16502 Brass Straight Nipple M-M



16503 Brass Reducing Nipple M-M




16506 Brass Straight Nipple M-F



16153 Brass Reducing Nipple M-F



16810 Brass Reducing Nipple M-F



16051 Brass Elbow for Welding ipe



16450 Brass Elbow with Union



16600 Brass Equal Elbow F-F



16605 Brass Equal Elbow F-F



16611 Brass Equal Elbow M-F



16612 Brass Equal Elbow M-F



16833 Brass Reducing Elbow M-F



16616 Brass Equal Elbow M-M



16880-1 Brass Eccentric Elbow (Pair)



16881 Brass Equal Elbow M-M



16700 Brass Equal Tee F-F-F



16700-2 Brass Equal Tee F-F-F



16705 Brass Equal Tee F-F-F



16713 Brass Reducing Tee F-F-F



16702 Brass Equal Tee M-M-F



16720 Brass Equal Tee M-M-F



16730 Brass Y Joint M-M-F



25509 Brass Y Joint M-M-F



16780 Brass Plug M



16781 Brass Flanged Plug M



16152 Brass Threaded Long Cap



16800 Brass Threaded Cap



16801 Brass Threaded Cap with Hole



16511 Brass Threaded Cap with Hole



16813 Brass Bushing



16400 Brass 3-PC Union F-F




16410 Brass 3-PC Union M-M



16420 Brass 3-PC Union M-F











16028 3-PC Union for Solar



11602 Solar Compression Straight



11605 Solar Compression Elbow



11608 Solar Compression Tee




11629 Solar Compression Plug




BRASS Solar Fittings

No Additional Sealing Elements Needed






16047 Copper Pipe Welding Union M



18210 HVAC Copper Pipe Welding Fitting



16048 Copper Pipe Welding Union F



backflow prevention

water consumption cut-down

easy and fast installation



16243 HC Water Meter Fitting with Non-return



16243 Water Meter Fitting

DINTEC

PLUMBING CO., LTD.

BRASS FITTINGS · VALVES · BIBCOCKS

SALES CENTER

Room 1309, Building No.1, Shimao Maoyue
Business Center, Jiangbei District,
Ningbo, China 315020

MANUFACTURING BASE

No.408 Nanxing Road, Chumen,
Yuhuan, Zhejiang, China

T +86 576 8732 8730

T +86 574 8732 8730
M +86 138 0666 2201
E sale@temico.com
W www.temico.com